Reading Comprehension Ability and Semantic Activation to Single Words and Discourse

An fMRI Partial Least Squares Analysis

Kayleigh Ryherd¹, Emily Baron², Kaja Jasinska², W. Einar Mencl², Nicole Landi^{1, 2, 3} (((Haskins Laboratories))


¹University of Connecticut, Dept. of Psychology & Language Plasticity IGERT; ²Haskins Laboratories; ³Yale Child Studies Center

Introduction

Some children exhibit reading comprehension (RC) deficits despite intact word reading and phonological processing (Nation & Snowling, 1998). We propose that these deficits may be due to weak semantic processing systems for printed and spoken language comprehension.

Here we examine neural activity (with fMRI) underlying both wordand passage-level processing in the visual and auditory modalities and its relation to RC using Partial Least Squares analysis (PLS).

PLS




- Multivariate data-driven method
- Identifies relationships among variables without pre-specified contrasts.

Task PLS: Brain activation & experimental conditions.

Behavioral PLS: Brain activation and behavioral data


Design scores: how each LV relates to the conditions of the experimental design.



LV 1

50.93% of covariance, p < 0.001

Results I: Task PLS




Blue regions show more activation during the word task.

- anterior cingulate cortex (ACC)
- Dorsolateral prefrontal cortex (DLPFC)

Red regions show more activation during the story task.

- MTG
- Left inferior frontal gyrus pars orbitalis (LIFGpo)

Hypothesis 2



LV 2

41.33% of covariance, p < 0.001

Hypotheses & Methods

Modality & Processing-level Hypotheses:

- 1) Print and speech conditions should dissociate across tasks.
- 2) Story and Word tasks should dissociate.

Reading Comprehension Hypotheses:

- 3) RC is related to activation in semantic areas during passage comprehension, regardless of modality.
- 4) RC is related to the difference in activation in semantic areas during written word and passage comprehension.

Two fMRI tasks (N = 32, M Age = 17, 14 M):

- Word Task (4 event types) event-related
- Visual word: Printed real words, e.g. roof
- Spoken word: Spoken real words, e.g. False font: Printed symbols, e.g. ◆□光●
- Vocoded speech Story Task (2 block types) block
- Excerpts of a narrative presented aurally (Audio condition) or visually (Visual condition)

Behavioral Measures

 Kaufman Test of Education Acheivement (KTEA) reading comprehension

Results II: Behavioral PLS

superior temporal

gyrus (STG)

more activation

during **auditory**

conditions.

Hypothesis 3 <u>elatio</u> 22.0-25 었-0.75 A. Story V. Story 84.52% of covariance p < 0.001


Better comprehenders (BC) activate in blue:

- LIFGpo
- MTG

Poor comprehenders (PC) activate in red:

- ACC
- Insula
- Parahippocampal gyrus

Hypothesis 4



Better comprehenders (BC) activate in blue:

- VWFA
- Inferior/middle occipital
- LIFG pars triangularis, MTG

Poor comprehenders (PC) activate in red:

- ACC
- insula

Discussion

Modality & Processing Level

- 1) Visual areas do activate differently than auditory areas in visual vs. auditory conditions of both tasks.
- Areas involved in comprehending sentences activate more in the story task, and regions involved in cognitive control and switching among stimuli activate more in the word task.

Reading Comprehension

- 3) BC show more semantic activation regardless of modality.
- 4) BC show more visual and semantic activation during printed single words and passages. PC show phonological processing and cognitive control.

Conclusion: Comprehending speech and print is effortful for PC and involves less semantic processing. Their decoding is adequate but possibly less efficient than better comprehenders'.

Future Directions: Do PC have trouble attaching word labels onto concepts? What kind of information can they use to create a novel semantic representation?