

## Some stuttering research references

Caruso AJ, Abbs JH, Gracco VL (1988). Kinematic analysis of multiple movement coordination during speech in stutterers. *Brain*, 111, 439-455.

Kalinowski J, Armson J, R.-Mieszkowski M, Stuart A, Gracco VL (1993). The effects of alterations in auditory feedback on stuttering frequency. *Language and Speech*, 36, 1-16.

Max L, Caruso AJ, Gracco VL (2003). Kinematic analyses of speech, orofacial nonspeech, and finger movements in stuttering and nonstuttering adults. *Journal of Speech, Language, and Hearing Research*, 46, 215-232.

Max L, Guenther FH, Gracco VL, Ghosh SS, Wallace ME (2004). Unstable or insufficiently activated internal models and feedback-biased motor control as sources of dysfluency: A theoretical model of stuttering. *Contemporary Issues in Communication Science and Disorders*. 31, 105-122.

Beal D, Gracco VL, Lafaille SJ, DeNil LF (2007) A VBM study of grey and white matter brain differences in people who stutter. *NeuroReport*, 18(12), 1102-1110.

DeNil LF, Beal DS, Lafaille SJ, Kroll RM, Crawley AP, Gracco VL (2008) The effects of simulated stuttering and prolonged speech on neural activation patterns of stuttering and nonstuttering speakers. *Brain and Language*, 107(2), 114-123.

Beal D, Cheyne D, Gracco VL, DeNil L (2010) Auditory evoked responses to vocalization during passive listening and active generation in adults who stutter. *NeuroImage*, 52, 1645-1653.

Beal D, Quraan M, Cheyne D., Taylor M, Gracco VL, DeNil L (2011) Speech-induced suppression of evoked auditory fields in children who stutter. *NeuroImage*, 54(4), 2994-3003.

Beal D, Gracco VL, Brettschneider J, Kroll RM, DeNil L (2013). A voxel-based morphometry (VBM) analysis of regional grey and white matter volume abnormalities within the speech production network of children who stutter. *Cortex*, 49: 2151-2161.

Smits-Bandstra S, Gracco VL (2013). Verbal Implicit Sequence Learning in Persons who Stutter and Persons with Parkinson's Disease. *Journal of Motor Behavior*, 45(5): 381-393.

Smits-Bandstra S, Gracco VL (2014). Retention of Implicit Sequence Learning in Persons who Stutter and Persons with Parkinson's Disease. *Journal of Motor Behavior*. 10.1080/00222895.2014.961890

Beal D, Lerch J, Cameron B, Henderson R, Gracco VL, De Nil LF (2015). The trajectory of gray matter development in Broca's area is abnormal in people who stutter. *Frontiers in Human Neuroscience*, 9, 89-94. PMID: PMC4347452.

Chang S-E, Horwitz B, Ostuni J, Reynolds R, Ludlow CL.(2011). Evidence of left inferior frontal-premotor structural and functional connectivity deficits in adults who stutter. *Cerebral Cortex*, 21:2507-18.

Connally EL, Ward D, Howell P, Watkins KE. (2014). Disrupted white matter in language and motor tracts in developmental stuttering. *Brain and Language*, 131:25-35.

Sommer M, Koch MA, Paulus W, Weiller C, Büchel C. (2002). Disconnection of speech-relevant brain areas in persistent developmental stuttering. *The Lancet*, 360:380-3.

Salmelin R, Schnitzler A, Schmitz F, Freund H-J.(2000). Single word reading in developmental stutterers and fluent speakers. *Brain*, 123:1184-202.

Etchell AC, Johnson BW, Sowman PF. (2015). Beta oscillations, timing, and stuttering. *Frontiers in Human Neuroscience*, 8:1036.

Cai S, Beal DS, Ghosh SS, Tiede MK, Guenther FH, et al. (2012). Weak responses to auditory feedback perturbation during articulation in persons who stutter: Evidence for abnormal auditory-motor transformation. *PLoS ONE* 7(7): e41830. doi:10.1371/journal.pone.0041830

Lu C, Peng D, Chen C, Ning N, Ding G, et al. (2010). Altered effective connectivity and anomalous anatomy in the basal ganglia-thalamocortical circuit of stuttering speakers. *Cortex* 46:49-67.

Xuan Y, Meng C, Yang Y, Zhu C, Wang L, et al. (2012). Resting-State Brain Activity in Adult Males Who Stutter. *PLoS ONE* 7(1):e30570. doi:10.1371/ journal.pone.0030570

Giraud AL, Neumann K, Bachoud-Levi A-C, Gudenberg von AW, Euler H, Lanfermann H, et al. (2008). Severity of dysfluency correlates with basal ganglia activity in persistent developmental stuttering. *Brain Lang* 104(2):190-199.

Watkins KE, Smith SM, Davis S, Howell P (2008). Structural and functional abnormalities of the motor system in developmental stuttering. *Brain* 131:50-59.

Civier O, Bullock D, Max L, Guenther FH (2014). Computational modeling of stuttering caused by impairments in a basal ganglia thalamo-cortical circuit involved in syllable selection and initiation. *Brain Lang* 126(3):263-278.

Fox PT, Ingham RJ, Ingham JC, Hirsch TB, Downs JH, Martin C, et al. (1996). A PET study of the neural systems of stuttering. *Nature* 382:158-162.

Fox PT, Ingham RJ, Ingham JC, Zamarripa F, Xiong JH, Lancaster JL (2000). Brain correlates of stuttering and syllable production. A PET performance-correlation analysis. *Brain* 123:1985-2004.

Alm PA. (2004). Stuttering and the basal ganglia circuits: A critical review of possible relations. *Journal of Communication Disorders*, 37:325–69.

Chang, S. -E., et al. (2017). Anomalous network architecture of the resting brain in children who stutter. *Journal of Fluency Disorders*  
<http://dx.doi.org/10.1016/j.jfludis.2017.01.002>

Mersov A-M, Jobst C, Cheyne DO and De Nil L (2016). Sensorimotor Oscillations Prior to Speech Onset Reflect Altered Motor Networks in Adults Who Stutter. *Front. Hum. Neurosci.* 10:443. doi: 10.3389/fnhum.2016.00443

Neef, N. E., Anwander, A., & Friederici, A. D. (2015). The neurobiological grounding of persistent stuttering: from structure to function. *Current neurology and neuroscience reports*, 15(9), 63.

Chang, S. E., Erickson, K. I., Ambrose, N. G., Hasegawa-Johnson, M. A., & Ludlow, C. L. (2008). Brain anatomy differences in childhood stuttering. *Neuroimage*, 39(3), 1333-1344.